





AJ-013-4
AJ-023-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position	6h		
Rated current(A)	16	32	
	Pole 3		
Dimension(mm)	a	122	141
	b	57	77
	c	50	64
	φ	6	8
Cable nominal cross-section area(mm ²)	1-2.5	2.5-6	



AJ-013
AJ-023

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position	6h		
Rated current(A)	16	32	
	Pole 3		
Dimension(mm)	a	122	141
	b	57	77
	c	50	64
	φ	6	8
Cable nominal cross-section area(mm ²)	1-2.5	2.5-6	




AJ-014
AJ-024

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position	6h		
Rated current(A)	16	32	
	Pole 4		
Dimension(mm)	a	122	141
	b	64	77
	c	50	64
	φ	6	8
Cable nominal cross-section area(mm ²)	1-2.5	2.5-6	




AJ-015
AJ-025

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position	6h		
Rated current(A)	16	32	
	Pole 5		
Dimension(mm)	a	130	144
	b	75	87
	c	64	70
	φ	8	8
Cable nominal cross-section area(mm ²)	1-2.5	2.5-6	




AJ-033
AJ-043

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position	6h		
Rated current(A)	63	125	
	Pole 3		
Dimension(mm)	a	231.5	295
	b	110	123
	c	16-38	30-64
	φ	110	123
Cable nominal cross-section area(mm ²)	6-16	16-50	




AJ-034
AJ-044

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position	6h		
Rated current(A)	63	125	
	Pole 4		
Dimension(mm)	a	231.5	295
	b	110	123
	c	16-38	30-64
	φ	110	123
Cable nominal cross-section area(mm ²)	6-16	16-50	




AJ-113
AJ-123

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position	6h		
	Rated current(A)		
Pole	16	32	
	3		
Dimension(mm)	a	135	153
	b	92	102
	c	50	65
	φ	3-18	3-18
	Cable nominal cross-section area(mm ²)	1-2.5	2.5-6




AJ-114
AJ-124

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position	6h		
	Rated current(A)		
Pole	16	32	
	4		
Dimension(mm)	a	140	152
	b	95	104
	c	56	65
	φ	3-18	3-18
	Cable nominal cross-section area(mm ²)	1-2.5	2.5-6




AJ-115
AJ-125

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position	6h		
	Rated current(A)		
Pole	16	32	
	5		
Dimension(mm)	a	139	153
	b	96	107
	c	63	70
	φ	3-18	3-18
	Cable nominal cross-section area(mm ²)	1-2.5	2.5-6




AJ-113L-4
AJ-123L-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position	4h		
	Rated current(A)		
Pole	16	32	
	3		
Dimension(mm)	a	168	190
	b	92	102
	c	50	65
	φ	7-20	7-20
	Cable nominal cross-section area(mm ²)	1-2.5	2.5-6




AJ-113L
AJ-123L

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position	6h		
	Rated current(A)		
Pole	16	32	
	3		
Dimension(mm)	a	168	190
	b	92	102
	c	50	65
	φ	7-20	7-20
	Cable nominal cross-section area(mm ²)	1-2.5	2.5-6




AJ-114L
AJ-124L

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position	6h		
	Rated current(A)		
Pole	16	32	
	4		
Dimension(mm)	a	170	190
	b	95	104
	c	56	64.5
	φ	7-20	7-20
	Cable nominal cross-section area(mm ²)	1-2.5	2.5-6




AJ-335
AJ-345

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~

防护等级 Protection degree:IP44




Earth contact position	6h		
	63	125	
Rated current(A)	5		
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	78	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)	6-25	25-70	




AJ-3332
AJ-3432

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position	6h		
	63	125	
Rated current(A)	3		
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	83	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)	6-25	25-70	




AJ-3342
AJ-3442

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position	6h		
	63	125	
Rated current(A)	4		
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	83	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)	6-25	25-70	




AJ-3352
AJ-3452

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~

防护等级 Protection degree:IP67




Earth contact position	6h		
	63	125	
Rated current(A)	5		
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	83	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)	6-25	25-70	




AJ-413-4
AJ-423-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position	4h		
	16	32	
Rated current(A)	3		
Dimension(mm)	a	69.5	71
	b	69.5	71
	c	56	56
	d	56	56
	e	28	28
	f	48	63
	g	70	88
	h	52	56
	i	52	56
Cable nominal cross-section area(mm ²)	1-2.5	2.5-6	



AJ-413
AJ-423

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Earth contact position	6h		
	16	32	
Rated current(A)	3		
Dimension(mm)	a	69.5	71
	b	69.5	71
	c	56	56
	d	56	56
	e	28	28
	f	48	63
	g	70	88
	h	52	56
	i	52	56
Cable nominal cross-section area(mm ²)	1-2.5	2.5-6	