

## **SAK Series QB 58/8/15**

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com







### Klippon® Connect with clamping yoke Technology

The high reliability and variety of designs of the terminal blocks with clamping yoke connections make planning easer and optimises operational safety. Klippon® Connect provides a proven response to a range of different requirements.

#### General ordering data

Туре	QB 58/8/15
Order No.	<u>0545400000</u>
Version	SAK Series, Cross-connector, for cross-connection link, No. of poles: 58
GTIN (EAN)	4008190028794
Qty.	10 pc(s).



# **SAK Series QB 58/8/15**

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

### **Technical data**

Dimensions and weights			
Width	0.8 mm	Width (inches)	0.031 inch
Height	458.5 mm	Height (inches)	18.051 inch
Depth	17.5 mm	Depth (inches)	0.689 inch
Net weight	21.96 g		
Material data			
Material	Copper	Colour	Grey
System specifications			
Version	for cross-connection link	Mounting rail	none
Additional technical data			
Explosion-tested version	No	Installation advice	Direct mounting
Type of fixing	Screwed		Direct mounting
Dimensions			
Pitch in mm (P)	8 mm		
Rating data			
Rated current	27 A		
Classifications			
ETIM 3.0	EC000489	ETIM 4.0	EC000489
ETIM 5.0	EC000489	ETIM 6.0	EC000489
UNSPSC eClass 6.2	30-21-18-01	eClass 5.1 eClass 7.1	27-14-11-40
eClass 6.2 eClass 8.1	27-14-11-40 27-14-11-40	eClass 7.1 eClass 9.0	27-14-11-40 27-14-11-40
eClass 9.1	27-14-11-40	<del>colass 3.0</del>	27-14-11-40
Product information			
Descriptive text technical data	The mounting tolerances of the	e terminals must be taken into accour	nt. When used with a cross-connect
2000. paro toxt confined data	The mounting tolerances of the terminals must be taken into account. When used with a cross-connector rated cross-section should be reduced to the next smallest diameter.		
Approvals			
	Conform		
ROHS	Comorn		
ROHS  Downloads	Contonii		